

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

SPIROLITE (M) SDN. BHD.
LOT 4, JALAN P/2A
KAWASAN PERINDUSTRIAN
43650 BANDAR BARU BANGI
SELANGOR, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

POLYETHYLENE (PE) PIPES FOR WATER SUPPLY

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

ISO 4427-2 : 2019



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

SPIROLITE (M) SDN. BHD.



Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 6, SDR 26
Type	: PE 100 BLACK COMPOUND - BORSAFE HE3490LS; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: ELECTROFUSION
Size	: NOMINAL OUTSIDE DIAMETER (mm): 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 AND 630
Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 8, SDR 21
Type	: PE 100 BLACK COMPOUND - BORSAFE HE3490LS; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: ELECTROFUSION
Size	: NOMINAL OUTSIDE DIAMETER (mm): 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 AND 630
Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 10, SDR 17
Type	: PE 100 BLACK COMPOUND - BORSAFE HE3490LS; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; (PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE)
Size	: NOMINAL OUTSIDE DIAMETER (mm): 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 AND 630
Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 12.5, SDR 13.6
Type	: PE 100 BLACK COMPOUND - BORSAFE HE3490LS; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; (PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE)
Size	: NOMINAL OUTSIDE DIAMETER (mm): 25, 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 AND 630

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6400
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 28 September 2001

Certified Since

Sah Sehingga : 28 September 2024

Valid Until

Tarikh Dikeluarkan : 03 August 2023

Issue Date

No Siri : 087479

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SPIROLITE (M) SDN. BHD.



Trade Mark : SPIROLITE, APS
 Model : PE 100
 Rating : PN 16, SDR 11
 Type : PE 100 BLACK COMPOUND - BORSAFE HE3490LS; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: ELECTROFUSION
 Size : NOMINAL OUTSIDE DIAMETER (mm): 20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200, 225, 250, 280, 315, 355, 400, 450, 500, 560 AND 630

Trade Mark : SPIROLITE, APS
 Model : PE 100
 Rating : PN 20, SDR 9
 Type : PE 100 BLACK COMPOUND - BORSAFE HE3490LS; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: ELECTROFUSION
 Size : NOMINAL OUTSIDE DIAMETER (mm): 20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200 AND 225

Trade Mark : SPIROLITE, APS
 Model : PE 100
 Rating : PN 6, SDR 26
 Type : PE 100 BLACK COMPOUND - P901BK; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: BUTT FUSION
 Size : NOMINAL OUTSIDE DIAMETER (mm): 50, 63, 75, 90, 110, 125, 160, 180, 200 AND 225

Trade Mark : SPIROLITE, APS
 Model : PE 100
 Rating : PN 8, SDR 21
 Type : PE 100 BLACK COMPOUND - P901BK; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: BUTT FUSION
 Size : NOMINAL OUTSIDE DIAMETER (mm): 40, 50, 63, 75, 90, 110, 125, 160, 180, 200 AND 225

SCHEDULE

SPIROLITE (M) SDN. BHD.



Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 10, SDR 17
Type	: PE 100 BLACK COMPOUND - P901BK; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: BUTT FUSION
Size	: NOMINAL OUTSIDE DIAMETER (mm): 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200 AND 225
Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 12.5, SDR 13.6
Type	: PE 100 BLACK COMPOUND - P901BK; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: BUTT FUSION
Size	: NOMINAL OUTSIDE DIAMETER (mm): 25, 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200 AND 225
Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 16, SDR 11
Type	: PE 100 BLACK COMPOUND - P901BK; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: BUTT FUSION
Size	: NOMINAL OUTSIDE DIAMETER (mm): 20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200 AND 225
Trade Mark	: SPIROLITE, APS
Model	: PE 100
Rating	: PN 20, SDR 9
Type	: PE 100 BLACK COMPOUND - P901BK; PE 100 BLUE COMPOUND - BORSTAR HE3494-LS-H, EL-LENE H1000PBL; PIPES ARE BLACK WITH OR WITHOUT BLUE STRIPE; RECOMMENDED OF JOINT: BUTT FUSION
Size	: NOMINAL OUTSIDE DIAMETER (mm): 20, 25, 32, 40, 50, 63, 75, 90, 110, 125, 160, 180, 200 AND 225

End of page